# TeMA

print ISSN 1970-9889 e-ISSN 1970-9870 FedOA press - University of Naples Federico II Journal of Land Use, Mobility and Environment

DOAJ Rivista scientifica di classe A - 08/F1

Scopus WE

WEB OF SCIENCE



Multilevel scientific approach to impacts of global warming on urban areas, energy transition, optimisation of land use and emergency scenario

Vol.18 n.1 April 2025

TeMA Journal was established with the primary objective of fostering and strengthening the integration between urban transformation studies and those focused on mobility governance, in all their aspects, with a view to environmental sustainability. The three issues of the 2025 volume of TeMA Journal propose articles that deal with the effects of Global warming, reduction of energy consumption, immigration flows, optimization of land use, analysis and evaluation of civil protection plans in areas especially vulnerable to natural disasters and multilevel governance approach to adaptation.

TeMA is the Journal of Land Use, Mobility and Environment and offers papers with a unified approach to planning, mobility and environmental sustainability. With ANVUR resolution of April 2020, TeMA journal and the articles published from 2016 are included in the A category of scientific journals. The articles are included in main scientific database as Scopus (from 2023), Web of Science (from 2015) and the Directory of Open Access Journals (DOAJ). It is included in Sparc Europe Seal of Open Access Journals, and the Directory of Open Access Journals.

# TEMA Journal of Land Use, Mobility and Environment

### NEW CHALLENGES FOR XXI CENTURY CITIES:

Multilevel scientific approach to impacts of global warming on urban areas, energy transition, optimisation of land use and emergency scenario

## 1 (2025)

#### Published by

Laboratory of Land Use Mobility and Environment DICEA - Department of Civil, Architectural and Environmental Engineering University of Naples "Federico II"

TeMA is realized by CAB - Center for Libraries at "Federico II" University of Naples using Open Journal System

Editor-in-Chief: Rocco Papa print ISSN 1970-9889 | online ISSN 1970-9870 Licence: Cancelleria del Tribunale di Napoli, n°6 of 29/01/2008

#### Editorial correspondence

Laboratory of Land Use, Mobility and Environment DICEA - Department of Civil, Building and Environmental Engineering University of Naples "Federico II" Piazzale Tecchio, 80 80125 Naples (Italy)

https://serena.sharepress.it/index.php/tema e-mail: redazione.tema@unina.it

The cover image shows a composition of two photos of the Temple of Serapis in Pozzuoli (Italy). Giuseppe Mazzeo took them in January 2009 and March 2025. At the top, the 2009 image shows the temple flooded, with the pavement not visible. In the down, the 2025 image shows the temple's pavement dry and exposed. The Temple of Serapis is one of the leading visual indicators of the bradyseism phenomenon in the Phlegraean Fields. The bradyseism phase, highlighted by comparison, started in the first years of this century, as shown by the data published by the National Institute of Geophysics and Volcanology (INGV) on the website dedicated to the phenomena (https://www.ov.ingv.it/index.php/il-bradisismo).

TeMA - Journal of Land Use, Mobility and Environment offers researches, applications and contributions with a unified approach to planning and mobility and publishes original inter-disciplinary papers on the interaction of transport, land use and environment. Domains include: engineering, planning, modeling, behavior, economics, geography, regional science, sociology, architecture and design, network science and complex systems.

With ANVUR resolution of April 2020, TeMA Journal and the articles published from 2016 are included in A category of scientific journals. The articles published on TeMA are included in main international scientific database as Scopus (from 2023), Web of Science (from 2015) and the *Directory of Open Access Journals* (DOAJ). TeMA Journal has also received the *Sparc Europe Seal* for Open Access Journals released by *Scholarly Publishing and Academic Resources Coalition* (SPARC Europe). TeMA is published under a Creative Commons Attribution 4.0 License and is blind peer reviewed at least by two referees selected among high-profile scientists. TeMA has been published since 2007 and is indexed in the main bibliographical databases and it is present in the catalogues of hundreds of academic and research libraries worldwide.

#### EDITOR-IN-CHIEF

Rocco Papa, University of Naples Federico II, Italy

#### EDITORIAL ADVISORY BOARD

Mir Ali, University of Illinois, USA Luca Bertolini, University of Amsterdam, Netherlands Luuk Boelens, Ghent University, Belgium Dino Borri, Politecnico di Bari, Italy Enrique Calderon, Technical University of Madrid, Spain Pierluigi Coppola, Politecnico di Milano, Italy Derrick De Kerckhove, University of Toronto, Canada Mark Deakin, Edinburgh Napier University, Scotland Romano Fistola, University of Naples Federico II, Italy Carmela Gargiulo, University of Naples Federico II, Italy Aharon Kellerman, University of Haifa, Israel Nicos Komninos, Aristotle University of Thessaloniki, Greece David Matthew Levinson, University of Minnesota, USA Paolo Malanima, Magna Græcia University of Catanzaro, Italy Agostino Nuzzolo, Tor Vergata University of Rome, Italy Rocco Papa, University of Naples Federico II, Italy Serge Salat, UMCS Institute, France Mattheos Santamouris, NK University of Athens, Greece Ali Soltani, Shiraz University, Iran

#### Associate Editors

Rosaria Battarra, CNR, Italy Matteo Caglioni, Université Cote D'azur, France Alessia Calafiore, University of Edinburgh, UK Gerardo Carpentieri, University of Naples Federico II, Italy Luigi dell'Olio, University of Cantabria, Spain Isidoro Fasolino, University of Salerno, Italy Stefano Franco, Politecnico di Bari, Italy Federica Gaglione, University of Sannio, Italy Carmen Guida, University of Naples Federico II, Italy Thomas Hartmann, Utrecht University, Netherlands Markus Hesse, University of Luxemburg, Luxemburg Zhanat Idrisheva, D. Serikbayev EKTU, Kazakhstan Zhadyra Konurbayeva, D. Serikbayev EKTU, Kazakhstan Seda Kundak, Technical University of Istanbul, Turkey Rosa Anna La Rocca, University of Naples Federico II, Italy Houshmand Ebrahimpour Masoumi, TU of Berlin, Germany Giuseppe Mazzeo, Pegaso Telematic University, Italy Nicola Morelli, Aalborg University, Denmark Enrica Papa, University of Westminster, United Kingdom Yolanda P. Boquete, University of Santiago de Compostela, Spain Dorina Pojani, University of Queensland, Australia Nailya Saifulina, University of Santiago de Compostela, Spain Athena Yiannakou, Aristotle University of Thessaloniki, Greece John Zacharias, Peking University, China Cecilia Zecca, Royal College of Art, UK Floriana Zucaro, University of Naples Federico II, Italy

#### EDITORIAL STAFF

Laura Ascione, Ph.D. student at University of Naples Federico II, Italy Annunziata D'Amico, Ph.D. student at University of Naples Federico II, Italy Valerio Martinelli, Ph.D. student at University of Naples Federico II, Italy Stella Pennino, Ph.D. student at University of Naples Federico II, Italy Tonia Stiuso, Research fellowship at University of Naples Federico II, Italy

## TeMA Journal of Land Use, Mobility and Environment

## NEW CHALLENGES FOR XXI CENTURY CITIES:

Multilevel scientific approach to impacts of global warming on urban areas, energy transition, optimisation of land use and emergency scenario

1 (2025)

### Contents

EDITORIAL PREFACE 3 Rocco Papa

### FOCUS

- Situating walkability examining walkability elements of recurring routes 7 Jani Tartia
- Definition of spatio-temporal levels of accessibility. Isochronous analysis of regional 23 transport networks Annunziata Palermo, Gaetano Tucci, Lucia Chieffallo
- The impact of transportation planning on agricultural areas and plant health: a case 39 study of Antalya/Konyaaltı West Ring Road Engin Kepenek, Engin Kepenek, Şerife Betül Çetinkaya

LUME (Land Use, Mobility and Environment)

- Campi Flegrei and the Metropolitan Area of Naples. 55 Emergency planning in a high-risk territory Giuseppe Mazzeo
- Revitalising abandoned historical districts. 79 Application of an incremental and adaptive approach to regeneration Diksha Dody, Daniele Ronsivalle, Maurizio Carta

- 95 Mobilising equity. Emerging evidence for integrating vulnerable communities Irina di Ruocco
- **113** Multilevel governance approach to adaptation. The construction of the Italian mid-Adriatic green infrastructure Timothy Daniel Brownlee, Rosalba D'Onofrio, Chiara Camaioni

#### **REVIEW NOTES**

- **131** Urban energy transition between regulatory evolution and scientific production: a bibliometric analysis Valerio Martinelli
- **143** Digitalization in urban planning: a framework to realize smart cities Annunziata D'Amico
- **151** Competitive climate adaptation. Italian start-ups leading the way to adaptation to climate change in cities Stella Pennino
- **161** Exploring open and green space characteristics for climate change adaptation: a focus on the urban heat island Tonia Stiuso
- **169** Global warming reports: a critical overview of IGOs publications Laura Ascione

## TeMA

Journal of Land Use, Mobility and Environment

TeMA 1 (2025) 161-167 print ISSN 1970-9889, e-ISSN 1970-9870 DOI: 10.6093/1970-9870/11636 Received 3<sup>rd</sup> February 2025, Available online 30<sup>th</sup> April 2025

Licensed under the Creative Commons Attribution – Non Commercial License 4.0 http://www.serena.unina.it/index.php/tema

#### **REVIEW NOTES** Urban planning literature review

Exploring open and green space characteristics for climate change adaptation: a focus on the urban heat island

#### **Tonia Stiuso**

Department of Civil, Building and Environmental Engineering University of Naples Federico II, Naples, Italy e-mail: tonia.stiuso@unina.it ORCID: https://orcid.org/0009-0006-2474-8138

#### Abstract

Starting from the relationship between urban planning and mobility management, TeMA has gradually expanded the view of the covered topics, always remaining in the groove of rigorous scientific in-depth analysis. This section of the Journal, Review Notes, is the expression of continuously updating emerging topics concerning relationships between urban planning, mobility, and environment, through a collection of short scientific papers written by young researchers. The Review Notes are made of five parts. Each section examines a specific aspect of the broader information storage within the main interests of TeMA Journal. In particular, the Urban planning literature review section presents recent books and journals on selected topics and issues within the global scientific panorama.

For the first issue of TeMA Journal volume no. 18, this section provides a comprehensive overview of the challenges and solutions related to the role of open and green spaces in climate change adaptation, with particular attention to the urban heat island effect. Using a variety of scientific sources and practical resources, this contribution aims to identify the key characteristics of these spaces that can influence adaptation strategies, examining the solutions proposed in the scientific literature, specifically in books, journals, and reports.

#### Keywords

Green Spaces; Open Spaces; Literature review; UHI.

#### How to cite an item in APA format

Stiuso, T. (2025). Exploring open and green space characteristics for climate change adaptation: a focus on the urban heat island. *TeMA - Journal of Land Use, Mobility and Environment, 18* (1), 161-167. http://dx.doi.org/10.6092/1970-9870/11636

#### 1. Introduction

The urban heat island (UHI) effect represents one of the most critical environmental challenges for contemporary cities (Bouketta, 2023), it results from heat accumulation in built areas due to dense urban morphology, high levels of impervious surfaces and human activities that alter the local climate (Bai et al, 2024). Rising global temperatures due to climate change increase this phenomenon, leading to raise energy consumption, health risks and a reduction in the quality of life for urban populations (Mohamed Thariq & Mohamed Mujithaba Mohamed, 2024; Wang et al, 2022), so adapting to the UHI effect requires targeted strategies, in particular through the integration of open and green spaces in urban areas (Pennino, 2024). Vegetation plays a crucial role in reducing temperatures through processes such as evapotranspiration and shading (Santoro et al., 2024), which lower surface and air temperatures (Bowler et al., 2010; Mazzeo & Polverino, 2023); while green spaces, such as parks and tree corridors, are widely recognized for their cooling benefits, open spaces, including squares, parking areas and other built environments, play a crucial role in promoting urban climate resilience (Carpentieri et al., 2023). The use of reflective surfaces, permeable pavements, and shaded structures can enhance their cooling potential and complement the benefits of green infrastructure (Schmid et al., 2021). This persistent heat accumulation contributes to thermal discomfort and poses significant health risks, particularly for vulnerable populations such as the elderly, children, and individuals with pre-existing health conditions (Harlan et al., 2006). Additionally, the presence of water bodies within urban environments amplifies cooling effects by enhancing latent heat flux and evapotranspiration processes (Zhang et al., 2022). Given the complexity of urban heat dynamics, effective UHI mitigation strategies must integrate a mix of green and open spaces tailored to the specific climatic and morphological characteristics of each city (Gargiulo & Zucaro, 2023). The role of urban governance in implementing these strategies is essential, as it determines the spatial configuration and accessibility of cooling areas, ensuring equitable benefits for all residents (Gunawardena et al., 2017). Therefore this study want to explore how different characteristics of open and green spaces contribute to climate adaptation, drawing on scientific studies that assess their effectiveness in mitigating the UHI.

#### 2. Agreements and strategies developed at international level

Various international policies and agreements recognize the importance of green and open spaces in climate adaptation strategies, for example the European Green Deal and the EU Green Infrastructure Strategy promote nature-based solutions to create climate-resilient cities. At the global level, the Paris Agreement and the United Nations Sustainable Development Goals (particularly SDG 11: Sustainable Cities and Communities) emphasize the need to integrate urban green spaces into climate policies (Gargiulo & Zucaro, 2020).

At regional and municipal levels, many cities have implemented specific regulations to promote urban greening, mandate green roofs, and protect open spaces. The European Commission has launched initiatives encouraging Member States to develop green infrastructure projects that mitigate the urban heat island (UHI) effect and enhance overall urban resilience and, additionally, innovative urban planning strategies are incorporating new technologies to optimize green space management, ensuring long-term environmental and social benefits. Green spaces contribute not only to climate adaptation but also to biodiversity conservation, improved air quality, and enhanced public health, reinforcing their essential role in sustainable urban development (Gisotti & Masiani, 2024).

## 3. Morphological characteristics of open spaces and their role in UHI adaptation

In contemporary urban governance management, there is a growing shift towards a holistic perspective of urban systems, which emphasizes adaptation to the impacts of climate change (Papa et al., 2021). This

approach emphasizes the need to understand the complex interactions between urban components and their responses to environmental challenges, both expected and unexpected (Ding & Gül 2021; Carpentieri et al., 2024). A key aspect of this discourse is the role of open spaces, their morphology and their impact on urban heat island (UHI) adaptation, infact the research shows that green infrastructure, such as tree cover, vegetation and water bodies, play a critical role in adapting to UHI effects by reducing surface and air temperatures through shading and evapotranspiration (Bouketta, 2023). The presence of greenery within urban open spaces contributes to the creation of urban cooling effects, which provide optimal thermal comfort to pedestrians (Bouketta, 2023; Wang & Gou, 2024) and the cooling potential of these spaces depends not only on vegetation structure and impervious surface reduction, but also on the spatial configuration of buildings and urban form. Wang and Gou (2024) showed that open spaces enclosed by low-density buildings provide the highest levels of thermal comfort, while those surrounded by a combination of green spaces and high-density built environments exhibit reduced cooling effectiveness. Open space characteristics, including vegetation, pavement type, and water elements, interact with urban form to shape microclimatic conditions.



Fig.1 Definition of urban characteristics (Carpentieri et al., 2024)

The literature categorizes these elements into four main groups: open space system, urban context, microclimatic and geomorphological characteristics, and socio-economic and demographic characteristics (Carpentieri et al., 2024). Among them, the open space system, including vegetation, surface, and pavement type, is particularly relevant for UHI adaptation. The proportion of green cover, grass, and permeable surfaces contributes to surface cooling, while the spatial distribution of parks and courtyards improves airflow and reduces localized heat accumulation (Nirnac et al., 2022). In addition, the materials used in paved surfaces influence urban albedo and exposure to solar radiation, further impacting microclimatic conditions (Shen et al., 2022). The urban context also plays a key role in regulating microclimate, infact the land use, the building density, and the building layout affect the effectiveness of open spaces in reducing urban heat. High building density and compact urban fabrics tend to retain heat, amplifying UHI effects, while a strategic combination of open spaces and low-density buildings promotes better air circulation and heat dissipation. Furthermore, urban infrastructure elements, such as shading systems and tree corridors, influence solar radiation exposure and temperature variation (Das et al., 2022). Microclimatic and geomorphological characteristics, including solar radiation, wind patterns, humidity, and temperature variations, further determine the cooling capacity of urban open spaces. Factors such as global solar radiation, mean radiant temperature (MRT), and land surface temperature (LST) are critical to assess UHI intensity (Zhang et al., 2022). Urban wind flow, dictated by street orientation and building configuration, facilitates natural ventilation and enhances cooling effects (Rajagopalan et al., 2014). Similarly, the presence of water bodies in urban areas contributes significantly to thermal regulation by absorbing and dissipating heat (Patle & Ghuge, 2024). Finally, socio-economic and demographic characteristics influence the accessibility and use of open spaces. Population density, age distribution, lifestyle and governance structures determine how urban spaces are maintained and integrated into climate adaptation strategies (Cruz et al., 2021). Effective policy interventions, supported by government and local institutions,

are essential to increase the resilience of cities to UHI effects through strategic urban design and planning (Pigliautile et al., 2021).

#### Urban Heat Island Mitigation by Green Infrastructure in European Functional Urban Areas



Authors/Editors: Federica Marando, Mehdi P. Heris, Grazia Zulia, Angel Udías, Lorenzo Mentaschi, Nektarios Chrysoulakis, David Parastatidis, Joachim Maes Affiliation: Hunter College, Urban Policy & Planning, New York, NY 10065, USA Publication year: 2021

Retrieved from: https://www.sciencedirect.com/science/article/pii/S0048969723030437

This study evaluates the ecosystem service of microclimate regulation provided by green areas in 601 European cities. The findings highlight that urban green infrastructure (UGI) significantly reduces urban temperatures, with an average cooling effect of  $1.07^{\circ}$ C and peaks of up to  $2.9^{\circ}$ C in some areas. The research underscores the need for strategic integration of UGI into urban planning to enhance

adaptation and mitigate climate risks. Notably, a tree covers of at least 16% is required to achieve a 1°C reduction in urban temperatures.

#### European Commission - More vegetation in targeted urban areas can mitigate extreme heat



A JRC-led study published in \*Nature Communications\* demonstrates that targeted greening efforts in heat-prone areas are more effective than uniform city-wide vegetation distribution. By analyzing 200 cities worldwide, the study emphasizes the importance of precise spatial planning in mitigating heat stress. The research supports policy recommendations that prioritize localized green interventions to reduce heat exposure and improve urban livability.

#### Retrieved from:

https://joint-research-centre.ec.europa.eu/jrc-news-and-updates/more-vegetation-targeted-urban-areas-can-mitigate-extreme-heat-2023-05-31\_en



#### Demonstrating heat stress in European cities

Urban areas experience higher temperatures than rural surroundings due to artificial infrastructure and human activities, causing health risks. The UrbClim® model, using C3S ERA5 climate data, maps urban heat islands for 100 European cities at 100m resolution. This data helps urban planners implement green infrastructure and adaptation strategies, such as cool spots and green roofs, to mitigate heat stress and improve urban resilience. The tool is free and accessible.

#### Retrieved from: https://climate.copernicus.eu/demonstrating-heat-stress-european-cities

How can urban green spaces be planned to mitigate urban heat island effect under different climatic backgrounds? A threshold-based perspective



Authors/Editors: Wen Zhou, Wendong Yu, Ziyi Zhang, Wei Cao, Tao Wu Affiliation: College of Horticulture and Landscape Architecture, Yangzhou University, 225000, China Publication year: 2023 Retrieved from: https://www.sciencedirect.com/science/article/pii/S0048969723030437

A comparative analysis of four Chinese cities with varying climatic conditions reveals that the cooling intensity of urban green spaces depends on local climate backgrounds. The study identifies key factors, such as the presence of water bodies and vegetation density, that influence the

effectiveness of urban greening strategies. These findings offer practical guidelines for designing urban landscapes that maximize cooling benefits.

## How can urban green spaces be planned to mitigate urban heat island effect under different climatic backgrounds? A threshold-based perspective



The EU Green Infrastructure Strategy promotes the development of urban green spaces as a tool for climate mitigation and biodiversity conservation. This policy-driven approach underscores the multifunctionality of green infrastructure, which not only reduces heat stress but also enhances water management, air quality, and public wellbeing. Integrating green infrastructure into urban planning ensures longterm sustainability and resilience against climate change.

#### Retrieved from:

https://environment.ec.europa.eu/topics/nature-and-biodiversity/green-infrastructure\_en#:~: text=Well%2Ddesigned%20urban%20green%20spaces,well%2Dbeing%20of%20urban%20residents.

#### 4 Conclusion

Climate adaptation strategies, in particular to reduce UHI effects, cannot only count on traditional green spaces such as parks and tree canopies. Built open spaces, including public squares, brownfields and brownfield sites, offer valuable opportunities for climate adaptation interventions (Bocca, 2024). Urban policies must therefore recognise the interconnected role of natural and built environments in mitigating temperature extremes. Strategies that incorporate green and open spaces into urban planning will increase the adaptability of cities to climate change, reduce heat-related health risks and improve overall urban quality of life. Future research should focus on implementing hybrid solutions that combine nature-based interventions with innovative urban design techniques. By harnessing the combined potential of green infrastructure and open space adaptation, cities can build more climate-resilient environments for present and future generations.

#### References

Bai, X., Yu, Z., Wang, B., Zhang, Y., Zhou, S., Sha, X., Li, S., Yao, X. & Geng, X. (2024). Quantifying threshold and scale response of urban air and surface temperature to surrounding landscapes under extreme heat, *Building and Environment, 247*, p. 111029. https://doi.org/10.1016/j.buildenv.2023.111029

Bocca A. (2024). Sustainable development and proximity city. The environmental role of new public spaces. *TeMA - Journal of Land Use, Mobility and Environment, 17*(1), 71-87. https://doi.org/10.6093/1970-9870/10414

Bouketta, S. (2023). Urban Cool Island as a sustainable passive cooling strategy of urban spaces under summer conditions in Mediterranean climate. *Sustainable Cities and Society*, 99, 104956. https://doi.org/10.1016/j.scs.2023.104956

Bowler, D. E., Buyung-Ali, L., Knight, T. M. & Pullin, A. S. (2010). Urban greening to cool towns and cities: A systematic review of the empirical evidence. *Landscape and Urban Planning*, *97* (3), 147–155. https://doi.org/10.1016/j.landurbplan.2010.05.006

Carpentieri, G., Zucaro, F. and Guida, C. (2023) 'Urban energy consumption in the city of Naples (Italy): A geographically weighted regression approach', Resilient Horizons: Building Sustainable Environments for Climate Adaptation and Health, 93–104. https://doi.org/10.1007/978-3-031-46109-5\_8

Carpentieri, G., Gargiulo, C., Stiuso, T. & Zucaro, F. (2024). Greening and cooling urban areas: the Open Space System contribution for energy saving and climate change adaptation. In Lecture notes in computer science, 412–429. https://doi.org/10.1007/978-3-031-65273-8\_27

Cruz, J. A., Blanco, A. C., Garcia, J. J., Santos, J. A. & Moscoso, A. D. (2021). Evaluation of the cooling effect of green and blue spaces on urban microclimate through numerical simulation: A case study of Iloilo River Esplanade, 74. Philip-pines: *Sustainable Cities and Society*, Article 103184. https://doi.org/10.1016/j.scs.2021.103184

Das, M., Das, A. & Momin, S. (2022). Quantifying the cooling effect of urban green space: A case from urban parks in a tropical mega metropolitan area (In-dia). *Sustainable Cities and Society*, 87, 104062. https://doi.org/10.1016/j.scs.2022.104062

Ding G. & Gül A. (2021). Estimation of the future land cover using Corine Land Cover data. *TeMA - Journal of Land Use, Mobility and Environment, 14* (2), 177-188. https://doi.org/10.6093/1970-9870/7671

Gargiulo C. & Zucaro F. (2023). A Method Proposal to Adapt Urban Open-Built and Green Spaces to Climate Change. *Sustainability*, *15* (10):8111. https://doi.org/10.3390/su15108111

Gargiulo, C. & Zucaro, F., (2020). Greening networks for smart and resilient cities: From methodology to application in densely built urban Contexts. *Archivio di Studi Urbani e Regionali*, 130-148. https://doi.org/10.3280/asur2020-127-s1008.

Gisotti M. R. & Masiani B. (2024). Promoting a local and just green deal. School open spaces as a strategic opportunity for the city in the ecological transition. *TeMA - Journal of Land Use, Mobility and Environment,* (1), 97-114. https://doi.org/ 10.6093/1970-9870/10298

Gunawardena, K., Wells, M. & Kershaw, T. (2017). Utilising green and bluespace to mitigate urban heat island intensity. *The Science of the Total Environment*, 584–585, 1040–1055. https://doi.org/10.1016/j.scitotenv.2017.01.158

Harlan, S. L., Brazel, A. J., Prashad, L., Stefanov, W. L. & Larsen, L. (2006). Neighborhood microclimates and vulnerability to heat stress. Social Science & Medicine, 63(11), 2847–2863. https://doi.org/10.1016/j.socscimed.2006.07.030

Massaro, E., Schifanella, R., Piccardo, M. et al. Spatially-optimized urban greening for reduction of population exposure to land surface temperature extremes. Nat Commun 14, 2903 (2023). https://doi.org/10.1038/s41467-023-38596-1

Mazzeo G. & Polverino S. (2023). Nature-based solution for climate change adaptation and mitigation in urban areas with high natural risk. *TeMA - Journal of Land Use, Mobility and Environment*, 16(1), 47-65. https://doi.org/10.6093/1970-9870/9736

Mohamed Thariq M. G., & Mohamed Mujithaba Mohamed N. (2024). Environmental factors affecting living comfort perception in different localities in Sri Lanka. TeMA - Journal of Land Use, Mobility and Environment, 17(3), 473-486. https://doi.org/10.6093/1970-9870/10865

Nimac, I., Bulić, I. H. & Žuvela-Aloise, M. (2022). The contribution of urbanisa-tion and climate conditions to increased urban heat load in Zagreb (Croatia) since the 1960s. *Urban Climate*, 46, 101343. https://doi.org/10.1016/j.uclim.2022.101343

Papa R., Battarra R., Fistola R. & Gargiulo C. (2021). The city as a complex system in structural crisis. *TeMA - Journal of Land Use, Mobility and Environment, 14* (3), 455-491. https://doi.org/10.6093/1970-9870/8696

Patle, S. & Ghuge, V. V. (2024). Urban fragmentation approach for assessing thermal environment dynamics: A case study of semi-arid city from a comfort perspective. *Urban Climate, 53*, 101784. https://doi.org/10.1016/j.uclim.2023.101784

Pennino S. (2024). Global warming or global warning? A review of urban practices for adaptation to urban floods. *TeMA* - *Journal of Land Use, Mobility and Environment, 17*(3), 517-524. https://doi.org/10.6093/1970-9870/11167

Pigliautile, I., D'Eramo, S. & Pisello, A. L. (2021). Intra-urban microclimate map-ping for citizens' wellbeing: Novel wearable sensing techniques and automatized data-processing. *Journal of Cleaner Production*, 279, 123748. https://doi.org/10.1016 /j.jclepro.2020.123748

Rajagopalan, P., Lim, K. C. & Jamei, E. (2014). Urban heat island and wind flow characteristics of a tropical city. *Solar Energy*, *107*, 159–170. https://doi.org/10.1016/j.solener.2014.05.042

Santoro S., Mastrodonato G., & Camarda D. (2024). Managing local knowledge about NBS in spatial planning. A group model building approach. *TeMA - Journal of Land Use, Mobility and Environment, 17*(2), 265-283. https://doi.org/10.6093/1970-9870/10810

Shen, Y., Lin, Y., Cheah, W., Lin, J., Li, X. & Li, Y. (2022). Influences and path-ways of urban form and lifestyle on carbon emission reduction. *Urban Climate, 46*, 101325. https://doi.org/10.1016/j.uclim.2022.101325

Wang, M. & Gou, Z. (2024). Gaussian Mixture Model based classification for analyzing longitudinal outdoor thermal environment data to evaluate comfort conditions in urban open spaces. *Urban Climate, 53*, 101792. https://doi.org/10.1016/j.uclim.2023.101792

Wang, M., Wang, W. & Wu, L. (2022). Application of a new grey multivariate forecasting model in the forecasting of energy consumption in 7 regions of China. *Energy*, *243*, 123024. https://doi.org/10.1016/j.energy.2021.123024

Weilnhammer, V., Schmid, J., Mittermeier, I., Schreiber, F., Jiang, L., Pastuhovic, V., Herr, C. & Heinze, S. (2021). Extreme weather events in europe and their health consequences - A systematic review. International Journal of Hygiene and Environmental Health, 233, 113688. https://doi.org/10.1016/j.ijheh.2021.113688

Zhang, Q., Zhou, D., Xu, D. & Rogora, A. (2022). Correlation between cooling effect of green space and surrounding urban spatial form: Evidence from 36 urban green spaces. *Building and Environment, 222*, 109375. https://doi.org/10.1016 /j.buildenv.2022.109375

#### Author's profile

#### Tonia Stiuso

She is an engineer, PhD student and research fellow at the Department of Civil, Building and Environmental Engineering at the University of Naples Federico II. Her research currently focuses on the theme of urban sustainability, in particular the study of gender inequalities and adaptation to climate change.